

SAFETY DATA SHEET

BPS 7105

Last changed: 17/12/2009

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

TRADE NAME BPS 7105
APPLICATION AREA Detergent

Vendor art. number
7105

NATIONAL MANUFACTURER/IMPORTER

Enterprise Trion Tensid AB
Address Svederusgatan 1-3
Postal code SE-754 50 Uppsala
Country Sweden
E-mail info@trion.se
Internet www.trion.se
Telephone +46 18 156190
Fax +46 18 696627

CONTACT PERSONS

Name	E-mail	Telephone	Country
William Stomilovic	william.stomilovic@trion.se		

Emergency Phone	Type of assistance	Opening Hours
+46 70 60 462 94	William Stomilovic	

2. HAZARDS IDENTIFICATION

GENERAL

Causes severe burns. Risk of serious damage to eyes.

HEALTH

R35 Causes severe burns.

FIRE AND EXPLOSION

Non-flammable.

ENVIRONMENT

Readily biodegradable. Even low concentration and brief exposure may cause death or poisoning of fish and other aquatic organisms. Major discharge may have a negative effect in a water environment due to local pH increase.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	Classification
caustic potash, potassium hydroxide		215-181-3	1310-58-3	10 - 30 %	C,R22 - R35
2-butoxietanol		203-905-0	111-76-2	10 - 30 %	Xn,Xi,R20/21/22 - R36/38

Explanation of symbols: T+=highly toxic, T=toxic, C=corrosive, Xn=harmful, Xi=irritant E=Explosive, O=Oxidising, F+=Extremely flammable, F=Highly flammable, N=Dangerous for the environment, Cancer=Carcinogenic, Mut=Mutagenic, Rep=Toxic for reproduction, Conc.=Concentration

INGREDIENT COMMENTS

Contains no dangerous constituents above the individual limits laid down in the EEC Preparations Directive.

4. FIRST AID MEASURES

SAFETY DATA SHEET

BPS 7105

Last changed: 17/12/2009

GENERAL

Immediately rinse the skin and eyes with an abundant supply of water. Seek medical attention for all burns, regardless how minor they may seem.

INHALATION

Fresh air and rest.

SKIN CONTACT

Immediately rinse with abundant water and, if necessary, also on the inside of the clothes. Get medical attention if any discomfort continues.

EYE CONTACT

Rinse immediately with plenty of water. Keep the eyes wide open. Get medical attention immediately. Continue to rinse.

INGESTION

DO NOT induce vomiting. Get medical attention immediately. Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguishing agent: carbon dioxide or powder.

IMPROPER EXTINGUISHING MEDIA

Do not use a direct water jet.

EXTINGUISHING METHODS

Water should only be used by fireman.

FIRE AND EXPLOSION HAZARDS

Not flammable, but combustible.

PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS

Firemen must wear closed-circuit breathing equipment and full protective suits.

OTHER INFORMATION

Containers close to fire should be removed or cooled with water.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Avoid direct contact. Wear necessary protective equipment.

SAFETY ACTIONS TO PROTECT EXTERNAL ENVIRONMENT

Prevent dispersion through damming with sand, earth or other suitable material. Prevents major discharge into sewage systems, groundwater and surface water.

METHODS FOR CLEANING UP

Neutralize with acid. Dilute with much water.

OTHER INFORMATION

Only major emissions may represent a risk.

7. HANDLING AND STORAGE

SAFETY DATA SHEET

BPS 7105

Last changed: 17/12/2009

HANDLING PRECAUTIONS

Corrosive to strongly corrosive. May attack some plastics, rubber and coatings.

HANDLING ADVICE

Wear appropriate clothing to prevent reasonably probable skin contact. Plastic packing material.

STORAGE

Plastic packing material. Keep container tightly closed. Keep locked up and out of the reach of children. Do NOT use container made of: Aluminium.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE CONTROL

Workplace and work methods are designed to prevent direct contact. Use suitable protective gloves, protective goggles and protective clothes if there is risk of direct contact or splashing.

RESPIRATORY PROTECTION

If ventilation is insufficient, suitable respiratory protection must be applied. If necessary, respirator with A filter (brown).

EYE PROTECTION

Use tight-fitting protective goggles.

HAND PROTECTION

Use protective gloves that are resistant to chemicals. Protective gloves (butyl rubber, natural rubber, nitrile rubber).

PROTECTIVE CLOTHING

Wear suitable protective clothing and eye/face protection.

OTHER INFORMATION

Promptly remove non-impervious clothing that becomes wet or contaminated.

OEL value

Ingredient name	CAS no.	Range	ppm	mg/m3	Year	Notification
2-butoxietanol	111-76-2	15 min.	20	100	1993	H
2-butoxietanol	111-76-2	8 h	10	50	1993	H

R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Gelatinous.
COLOUR	White.
ODOUR	Odour of organic solvent.
SOLUBILITY	Miscible with water. Alcohol.
WATER SOLUBILITY	100%

Physical and chemical parameters

Parameter	Value/unit	Method/reference	Observation
pH concentrate	14.00		
pH in solution	14.00		
Flash point	> 90.00 °C		
Density	1200.00 kg/m ³		

10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

BPS 7105

Last changed: 17/12/2009

STABILITY

Stable under recommended storage and handling conditions.

CONDITIONS TO AVOID

May react with acids and oxidising substances.

MATERIALS TO AVOID

Reacts exothermically with acids.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXIC TEST RESULTS

caustic potash, potassium hydroxide

Route of exposure	Exposure time	Value/unit	Species	Source
LD50(Oral)		273.00 mg/kg	rat	

2-butoxietanol

Route of exposure	Exposure time	Value/unit	Species	Source
LD50(Dermal)		220.00 mg/kg	rabbitt	
LD50(Dermal)		2270.00 mg/kg	rat	
LD50(Oral)		470.00 mg/kg	rat	

GENERAL

Corrosive to strongly corrosive. This chemical may cause skin/eye irritation and burns (corrosive).

INHALATION

Vapours may have a strong irritant effect.

SKIN CONTACT

Corrosive to strongly corrosive.

EYE CONTACT

Permanent visual damage or blindness.

INGESTION

Harmful: possible risk of irreversible effects if swallowed.

12. ECOLOGICAL INFORMATION

AQUATIC ECOTOXICITY

2-butoxietanol				
Test	Exposure time	Value/unit	Species	Source
LC50(Acute fish)		1300.00 mg/l	(Lepomis macrochirus)	
LC50(Acute Daphnia)	48h	835.00 mg/l	magna	
EC50(Acute fish)		3200.00 mg/l	(Acute immobilisation)	
IC50(Acute algae)	72h	> 286.00 mg/l	Pseudokirchneriella subcapitata	

Point source pollution of large quantities to the aquatic environment may harm aquatic organisms.

ECOTOXICITY

Acute toxic. Occasional major emissions or frequently recurring minor emissions may have a harmful or disturbing effect.

DEGRADABILITY

Expected to be readily biodegradable.

SAFETY DATA SHEET

BPS 7105

Last changed: 17/12/2009

ACCUMULATION

Not bioaccumulating in water environments

OTHER EFFECTS

Even low concentration and brief exposure may cause death or poisoning of fish and other aquatic organisms. May change the pH of the water. Large quantities may be harmful to plants.

CONCLUSION

The product is expected to be harmful to aquatic organisms.

OTHER INFORMATION

Prevent discharges into the sewage system, watercourses or lakes.

13. DISPOSAL CONSIDERATIONS

GENERAL REGULATIONS

Local and EU regulations for refuse treatment must be followed. Do not use metal containers. Containers with rests of content is hazardous waste. Packaging may be cleaned and recycled.

CATEGORY OF WASTE

Suitable classification of waste is the responsibility of the user.

14. TRANSPORT INFORMATION

Classified as Dangerous Goods: Yes

UN No.: 1814

TRADE NAME AND DESCRIPTION

POTASSIUM HYDROXIDE SOLUTION

ADR/RID			
Class:	8	Packing group:	II
Danger form:	8		
Hazard ID:	80		
corrosive or slightly corrosive substance			

IMDG			
Class:	8	Packing group:	II
Sub Risk:		EMS:	F-A, S-B
Marine Pollutant:	No		

IATA			
Class:	8	Packing group:	II
Sub Risk:			
Label:	8		

OTHER INFORMATION

Tunnel Code E

15. REGULATORY INFORMATION

SAFETY DATA SHEET

BPS 7105

Last changed: 17/12/2009



Corrosive

EC-Label: No

COMPOSITION

caustic potash, potassium hydroxide (10 - 30 %), 2-butoxietanol (10 - 30 %)

R-PHRASES

R35 Causes severe burns.

S-PHRASES

S2 Keep out of the reach of children.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S62 If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

EU-DIRECTIVES

EG-directive (EG) nr 1272/2008

16. OTHER INFORMATION

VENDOR NOTES

Only for professional use. Assessed on the basis of available data.

LIST OF RELEVANT R-PHRASES

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed.

R35 Causes severe burns.

R36/38 Irritating to eyes and skin.

RECOMMENDED RESTRICTIONS ON USE

Only for professional use.

REVISION HISTORY

Version	Rev. date	Responsible	Changes
1.0.1	17/12/2009	WS	New database